EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	465	(333/20).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/21 10:34
L2	6	1 and effective adj (reactance inductance capacitance resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 10:43
L3	355	(333/164).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/21 10:44
L4	7	3 and effective adj (reactance inductance capacitance resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 10:49
L5	453	(333/243).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/21 10:50
L6	19717	5and effective adj (reactance inductance capacitance resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 11:29
L7	6	5 and effective adj (reactance inductance capacitance resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 11:29
L8	1911	(333/245-247).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/21 11:30

L9	38	8 and effective adj (reactance inductance capacitance resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 13:20
L10	1725	333/12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 13:21
L11	2269	((333/12) or (333/238)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/21 13:22
L12	68	11 and @pd >= "20091216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 13:22
L13	5	12 and effective adj (reactance inductance capacitance resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 13:23
L15	5	(((ic integrated adj circuit) and (line conductor stripline microstrip) and effective adj (reactance inductance capacitance resistance) and length and voltage and current).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 13:26
L16	9	(((ic integrated adj circuit) and effective adj (reactance inductance capacitance resistance) and length and voltage and current).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 13:27

L17	1	(effective adj (reactance inductance capacitance resistance) adj per adj unit adj length and voltage and current).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 13:28

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	11	((333/20) or (333/164) or (333/243) or (333/245-247) or (333/12) or (333/238)).CCLS.	UPAD	OR	OFF	2010/10/21 13:24

10/21/10 1:51:16 PM
C:\Documents and Settings\kglenn\My Documents\EAST\Workspaces\10598932.wsp